




NOT TO SCALE

PIVALVE







DOMED GRATE

70-50-05 AND SHALL MEET H-20 LOAD RATING.

DETAILS.

3. GRATE SHALL BE PROVIDED PAINTED BLACK.

4. SEE PLANS FOR LAYOUT OF DRAIN PIPES TO AREA DRAIN

1. GRATE AND FRAME SHALL BE DUCTILE IRON PER ASTM A536 GRADE

2. AREA DRAINS SHALL BE CUSTOM MANUFACTURED ACCORDING TO PLAN

AREA DRAIN DETAIL


NOT TO SCALE

DIAMETER=19.50"


DIAMETER=18.64"




REVISIONS DATE DESCRIPTION ADDENDUM #1 11/19/15 11/20/15 ASI #1



PERIMETER FOUNDATION SUBDRAIN DETAIL NOT TO SCALE




PVC SLEEVE THROUGH WALL FOOTING NOT TO SCALE



15" PVC DRAIN


GRAVEL BORROW
—PLACED AND UNIFORMLY
COMPACTED IN 12" LIFTS




GRATE COVER

- FRAME AND COVER SHALL BE DUCTILE IRON PER ASTM A536 GRADE 70-50-05 AND SHALL MEET H-10 LOAD RATING. GRATE SHALL BE ADA
- COMPLIANT. DRAIN BASIN TO BE CUSTOM MANUFACTURED
 ACCORDING TO PLANS AND DETAIL.
 CASTINGS SHALL BE FURNISHED WITH A BLACK PAINT.

15" AREA DRAIN DETAIL NOT TO SCALE





_TOWN CLERK OF MAYNARD, MA HEREBY CERTIFY THAT THE NOTICE OF APPROVAL OF THIS PLAN BY THE PLANNING BOARD HAS BEEN RECEIVED AND RECORDED AT THIS OFFICE AND NO APPEAL WAS RECEIVED DURING THE NEXT TWENTY DAYS AFTER RECEIPT AND RECORDING OF SAID NOTICE.

